



## INDEX FOR STAINLESS STEEL

SHEETS .....	46-47
PLATES .....	47
BARS	
Rounds .....	48-50
Hex .....	50-51
Squares .....	51-52
Flats .....	52-53
ANGLES .....	53
TUBING .....	53-54
PIPING .....	54
PIPE, VALVES & FITTINGS ***	

\*\*\* *Pipe Chart Available in Back of this Section*

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL SHEETS Type 301 Type 302 Type 304

No. 2B Finish—All Sheets  
No. 3 Polish and No. 4 Polish carried in sizes up to and including 60 x 144  
Some sizes carried in Type 304L

Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet
<b>28 Ga.—(.015")</b> .630 Lb. Sq. Ft.			<b>18 Ga.—(.048")</b> 2.016 Lb. Sq. Ft.			<b>13 Ga.—(.090")</b> 3.78 Lb. Sq. Ft.		
36x 96 15.1			30x 96 40.3			36x 96 90.7		
120 18.9			120 50.4			120 113.4		
<b>26 Ga.—(.018")</b> .756 Lb. Sq. Ft.			36x 96 48.4			48x120 151.2		
30x 96 15.1			120 60.5			<b>12 Ga.—(.105")</b> 4.410 Lb. Sq. Ft.		
120 18.9			144 72.6			36x 96 105.8		
36x 96 18.1			42x120 70.6			120 132.3		
120 22.7			48x 96 64.5			144 158.8		
48x 96 24.2			120 80.6			42x120 154.4		
120 30.2			144 96.8			48x 96 141.1		
<b>24 Ga.—(.024")</b> 1.008 Lb. Sq. Ft.			56x120 94.1			120 176.4		
30x 96 20.2			60x120 100.8			144 211.7		
120 25.2			<b>16 Ga.—(.060")</b> 2.520 Lb. Sq. Ft.			60x 96 176.4		
36x 96 24.2			30x 96 50.4			120 220.5		
120 30.2			120 63.0			144 264.6		
48x 96 32.3			36x 96 60.5			72x120 264.6		
120 40.3			120 75.6			144 317.5		
<b>22 Ga.—(.030")</b> 1.260 Lb. Sq. Ft.			144 90.7			<b>11 Ga.—(.120")</b> 5.040 Lb. Sq. Ft.		
30x 96 25.2			42x120 88.2			36x 96 120.9		
120 31.5			48x 96 80.6			120 151.2		
36x 96 30.2			120 100.8			48x 96 161.3		
120 37.8			144 121.0			120 201.6		
144 45.4			54x120 113.4			144 241.9		
48x 96 40.3			56x120 117.6			60x120 252.0		
120 50.4			60x 96 100.8			144 302.4		
<b>20 Ga.—(.036")</b> 1.512 Lb. Sq. Ft.			120 126.0			72x144 362.9		
30x 96 30.2			144 151.2			<b>10 Ga.—(.135")</b> 5.670 Lb. Sq. Ft.		
120 37.8			144 181.4			36x 96 136.1		
36x 96 36.3			<b>14 Ga.—(.075")</b> 3.150 Lb. Sq. Ft.			120 170.1		
120 45.4			30x120 78.8			48x 96 181.4		
144 54.4			36x 96 75.6			120 226.8		
42x120 52.9			120 94.5			144 272.2		
48x 96 48.4			144 113.4			60x120 283.5		
120 60.5			42x120 110.3			144 340.2		
144 72.6			144 132.3			72x120 340.2		
<b>19 Ga.—(.043")</b> 1.806 Lb. Sq. Ft.			48x 96 100.8			144 408.2		
36x120 53.0			120 126.0					
			144 151.2					
			54x120 141.7					
			60x120 157.5					
			144 189.0					
			72x120 189.0					
			144 226.8					

Stainless Sheets are available in coils, which can be slit, roller leveled, and cut to length to your exact specifications.

## STAINLESS STEEL SHEETS Type 316

No. 2B Finish—All Sheets  
No. 3 Polish and No. 4 Polish carried in sizes up to and including 60 x 144  
Some sizes carried in Type 316L

Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet
<b>26 Ga.—(.018")</b> .756 Lb. Sq. Ft.			<b>20 Ga.—(.036")</b> 1.512 Lb. Sq. Ft.			<b>14 Ga.—(.075")</b> 3.150 Lb. Sq. Ft.		
36x 96 18.1			36x120 45.4			36x120 94.5		
120 22.7			48x120 60.5			48x120 126.0		
48x120 30.2			<b>18 Ga.—(.048")</b> 2.016 Lb. Sq. Ft.			<b>12 Ga.—(.105")</b> 4.410 Lb. Sq. Ft.		
<b>24 Ga.—(.024")</b> 1.008 Lb. Sq. Ft.			36x120 60.5			36x120 132.3		
36x 96 24.2			48x120 80.6			48x120 176.4		
120 30.2			<b>16 Ga.—(.060")</b> 2.520 Lb. Sq. Ft.			60x144 264.6		
48x120 40.3			36x120 75.6			<b>11 Ga.—(.120")</b> 5.040 Lb. Sq. Ft.		
<b>22 Ga.—(.030")</b> 1.260 Lb. Sq. Ft.			48x120 100.8			36x120 151.2		
36x120 37.8			60x144 151.2			48x120 201.6		
48x120 50.4			<b>10 Ga.—(.135")</b> 5.670 Lb. Sq. Ft.			36x120 170.1		
						48x120 226.8		
						60x144 340.2		

## Type 321

No. 2D Finish—All Sheets  
No. 3 Polish and No. 4 Polish carried in sizes up to and including 60 x 144

Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet	Width and Estimated Length Per Sheet	Thickness	Estimated and Wt. Lbs. Per Sheet
<b>28 Ga.—(.016")</b> .6720 Lb. Per Sq. Ft.			<b>20 Ga.—(.036")</b> 1.5120 Lb. Sq. Ft.			<b>13 Ga.—(.090")</b> 3.7800 Lb. Sq. Ft.		
36x120 20.2			36x120 45.4			36x120 113.4		
<b>26 Ga.—(.01875")</b> .7875 Lb. Sq. Ft.			<b>19 Ga.—(.040")</b> 1.6800 Lb. Sq. Ft.			48x120 151.2		
36x120 23.6			36x120 50.4			<b>12 Ga.—(.109")</b> 4.5937 Lb. Sq. Ft.		
<b>.020"</b> .8400 Lb. Sq. Ft.			<b>18 Ga.—(.050")</b> 2.1000 Lb. Sq. Ft.			36x120 137.8		
36x120 25.2			36x120 63.0			48x120 183.7		
<b>24 Ga.—(.025")</b> 1.0500 Lb. Sq. Ft.			<b>16 Ga.—(.063")</b> 2.6250 Lb. Sq. Ft.			<b>11 Ga.—(.120")</b> 5.0400 Lb. Sq. Ft.		
36x120 31.5			36x120 78.8			36x120 151.2		
<b>22 Ga.—(.03125")</b> 1.3125 Lb. Sq. Ft.			48x120 105.0			<b>10 Ga.—(.141")</b> 5.9062 Lb. Sq. Ft.		
36x120 39.4			<b>14 Ga.—(.078")</b> 3.2812 Lb. Sq. Ft.			48x120 236.2		
			36x120 98.4					
			48x120 131.2					

Ordered to ASA Decimal thickness

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL SHEETS Type 347

No. 2D Finish—All Sheets  
No. 3 Polish and No. 4 Polish carried in sizes up to and including 60 x 144

Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet	Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet	Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet
<b>28 Ga.—(.015")</b>				<b>20 Ga.—(.036")</b>				<b>14 Ga.—(.075")</b>			
.630 Lb. Sq. Ft.				1.512 Lb. Sq. Ft.				3.150 Lb. Sq. Ft.			
36x120	18.9			36x120	45.4			36x120	94.5		
<b>26 Ga.—(.015")</b>				<b>19 Ga.—(.043")</b>				<b>13 Ga.—(.090")</b>			
.756 Lb. Sq. Ft.				1.806 Lb. Sq. Ft.				3.780 Lb. Sq. Ft.			
36x120	22.7			36x120	54.2			36x120	113.4		
<b>24 Ga.—(.024")</b>				<b>18 Ga.—(.048")</b>				<b>11 Ga.—(.120")</b>			
1.008 Lb. Sq. Ft.				2.016 Lb. Sq. Ft.				5.040 Lb. Sq. Ft.			
36x120	30.2			36x120	60.5			36x120	151.2		
<b>22 Ga.—(.030")</b>				<b>16 Ga.—(.060")</b>							
1.260 Lb. Sq. Ft.				2.520 Lb. Sq. Ft.							
36x120	37.8			36x120	75.6						

## Type 430

No. 2B Finish—All Sheets  
No. 3 Polish and No. 4 Polish carried in sizes up to and including 60 x 144

Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet	Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet	Thickness	Width in Inches	Estimated Length	Estimated Wt. Lbs. Per Sheet
<b>26 Ga.—(.018")</b>				<b>20 Ga.—(.036")</b>				<b>14 Ga.—(.075")</b>			
.742 Lb. Sq. Ft.				1.483 Lb. Sq. Ft.				3.090 Lb. Sq. Ft.			
36x 96	17.8			30x120	37.1			36x120	92.7		
120	22.3			36x 96	35.6			48x120	123.6		
<b>24 Ga.—(.024")</b>					120	44.5		<b>12 Ga.—(.105")</b>			
.989 Lb. Sq. Ft.				48x120	59.3			4.326 Lb. Sq. Ft.			
30x120	24.7			<b>18 Ga.—(.048")</b>				36x120	129.8		
36x 96	23.2			1.978 Lb. Sq. Ft.				48x120	173.0		
120	29.0			36x 96	47.5			<b>11 Ga.—(.120")</b>			
48x120	39.6			120	59.3			4.944 Lb. Sq. Ft.			
<b>22 Ga.—(.030")</b>				48x120	79.1			36x120	148.3		
1.236 Lb. Sq. Ft.				<b>16 Ga.—(.060")</b>				48x120	197.8		
30x120	30.9			2.472 Lb. Sq. Ft.				<b>10 Ga.—(.141")</b>			
36x 96	29.7			36x120	74.2			5.562 Lb. Sq. Ft.			
120	37.1			48x120	98.9			48x120	222.5		
48x120	49.4										

Stainless Sheets are available in coils, which can be slit, roller leveled, and cut to length to your exact specifications.

## STAINLESS STEEL PLATES Type 302 Type 304 Type 304L Type 316 Type 316L ASTM A-240

Hot Rolled, Annealed and Pickled  
All Stock Lengths not available in all Alloys.

Thickness	Size in Inches	Est. Weight, Lbs.		Thickness	Size in Inches	Est. Weight, Lbs.	
		Per Lineal Foot	Per Plate			Per Lineal Foot	Per Plate
<b>3/16" — (.1875")</b>				<b>5/8" — (.625")</b>			
8.579 Lb. Sq. Ft.				26.831 Lb. Sq. Ft.			
48x 96	34.32	274.5		72x120	160.99	1609.9	
120	34.32	343.2		84x240	187.82	3756.3	
240	34.32	686.3		96x240	214.65	4293.0	
360	34.32	1029.5		360	214.65	6439.4	
60x120	42.90	429.0		<b>3/4" — (.750")</b>			
144	42.90	514.7		32.123 Lb. Sq. Ft.			
240	42.90	857.9		96x240	256.98	5139.7	
360	42.90	1286.9		360	256.98	7709.5	
72x120	51.47	514.7		<b>7/8" — (.875")</b>			
144	51.47	617.7		37.291 Lb. Sq. Ft.			
240	51.47	1029.5		96x240	298.33	5966.6	
360	51.47	1544.2		<b>1" — (1.000")</b>			
84x240	60.05	1201.1		42.665 Lb. Sq. Ft.			
360	60.05	1801.6		60x120	213.33	2133.3	
96x240	68.63	1372.6		96x240	341.32	6826.4	
360	68.63	2059.0		360	341.32	10239.6	
<b>1/4" — (.250")</b>				<b>1 1/8" — (1.125")</b>			
11.162 Lb. Sq. Ft.				47.837 Lb. Sq. Ft.			
48x 96	44.65	357.2		96x240	382.70	7653.9	
120	44.65	446.5		<b>1 1/4" — (1.250")</b>			
240	44.65	893.0		53.006 Lb. Sq. Ft.			
60x240	55.81	1116.2		84x240	371.04	7420.8	
72x120	66.97	669.7		96x240	424.05	8481.0	
144	66.97	803.7		360	424.05	12721.4	
240	66.97	1339.4		<b>1 1/2" — (1.500")</b>			
360	66.97	2009.2		63.331 Lb. Sq. Ft.			
84x240	78.13	1562.7		84x240	443.32	8866.3	
96x240	89.30	1785.9		96x240	506.65	10133.0	
360	89.30	2344.0		360	506.65	15199.4	
<b>5/16" — (.3125")</b>				<b>1 3/4" — (1.750")</b>			
13.746 Lb. Sq. Ft.				73.670 Lb. Sq. Ft.			
72x240	82.48	1649.5		84x240	515.69	10313.8	
84x240	96.22	1924.4		96x240	589.36	11787.2	
96x240	109.97	2199.4		360	589.36	17680.8	
360	109.97	3299.0		<b>2" — (2.000")</b>			
<b>3/8" — (.375")</b>				84.009 Lb. Sq. Ft.			
16.496 Lb. Sq. Ft.				84x240	588.06	11761.3	
48x240	65.98	1319.7		96x120	672.07	6720.7	
72x240	98.98	1979.5		240	672.07	13441.4	
360	98.98	2962.3		<b>2 1/4" — (2.250")</b>			
84x240	115.47	2309.4		94.781 Lb. Sq. Ft.			
96x240	131.97	2639.4		96x240	758.25	15165.0	
360	131.97	3959.0		<b>2 1/2" — (2.500")</b>			
<b>1/2" — (.500")</b>				105.120 Lb. Sq. Ft.			
21.663 Lb. Sq. Ft.				84x120	735.84	7358.4	
72x240	129.98	2599.6		96x240	840.96	16819.2	
84x240	151.64	3032.8		<b>3" — (3.000")</b>			
96x240	173.30	3466.1		126.302 Lb. Sq. Ft.			
360	173.30	5199.1		84x240	884.11	17682.3	
<b>5/16" — (.5625")</b>				96x240	1010.42	20208.3	
24.247 Lb. Sq. Ft.							
84x240	169.73	3394.6					
96x240	193.98	3879.5					

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS ROUNDS Type 303

Some sizes carried in Type 303Se

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/16	.010	.12	1	2.670	32.04	5	66.76	801.1	1/8	.042	.50	1 1/16	3.014	36.17	5 1/4	73.60	883.2
3/32	.023	.28	1 1/8	3.379	40.55	5 1/2	80.78	969.4	1/4	.167	2.00	1 3/16	3.766	45.19	6	96.13	1154
1/8	.042	.50	1 1/4	4.173	50.08	6 1/4	104.3	1252	5/32	.065	.78	1 1/2	4.600	55.20	6 3/4	121.7	1460
5/32	.084	1.13	1 3/8	5.049	60.59	7	135.2	1622	3/16	.128	1.54	1 5/8	5.049	60.59	7 1/2	150.2	1802
7/32	.128	1.54	1 5/8	5.518	66.22	8	170.9	2051	1/4	.167	2.00	1 3/4	6.008	72.10			
1/2	.261	3.13	1 7/8	6.520	78.24				5/8	.668	8.02	1 7/8	6.008	72.10			
5/8	.668	8.02	2	7.051	84.61				11/32	.316	3.79	2 1/8	6.520	78.24			
11/32	.316	3.79	2 1/4	7.604	91.25				3/8	.376	4.51	2 1/2	7.051	84.61			
3/8	.376	4.51	2 3/8	8.178	98.14				7/16	.511	6.13	2 5/8	8.178	98.14			
7/16	.511	6.13	2 7/8	9.388	112.7				1/2	.668	8.02	3	9.388	112.7			
1/2	.668	8.02	3 1/8	10.02	120.2				17/32	.754	9.05	3 1/4	10.02	120.2			
17/32	.754	9.05	3 1/2	10.68	128.2				9/16	.845	10.14	3 3/4	10.68	128.2			
9/16	.845	10.14	3 7/8	12.06	144.7				19/32	.941	11.29	4	12.06	144.7			
19/32	.941	11.29	4 1/8	12.78	153.4				5/8	1.043	12.52	4 1/4	12.78	153.4			
5/8	1.043	12.52	4 1/2	13.52	162.2				21/32	1.150	13.80	4 3/8	13.52	162.2			
21/32	1.150	13.80	4 3/4	15.06	180.7				1/16	1.262	15.14	4 7/8	15.06	180.7			
1/16	1.262	15.14	5	15.87	190.4				23/32	1.379	16.55	5 1/8	15.87	190.4			
23/32	1.379	16.55	5 1/4	16.69	200.3				3/4	1.502	18.02	5 1/2	16.69	200.3			
3/4	1.502	18.02	5 3/8	18.40	220.8				25/32	1.630	19.56	5 3/4	18.40	220.8			
25/32	1.630	19.56	5 7/8	20.20	242.4				13/16	1.763	21.16	6	20.20	242.4			
13/16	1.763	21.16	6 1/8	22.07	264.8				17/32	1.901	22.81	6 1/4	22.07	264.8			
17/32	1.901	22.81	6 3/8	24.03	288.4				7/8	2.044	24.53	6 1/2	24.03	288.4			
7/8	2.044	24.53	6 3/4	24.03	288.4				29/32	2.193	26.32	6 7/8	24.03	288.4			
29/32	2.193	26.32	7	24.03	288.4				15/16	2.347	28.16	7 1/8	24.03	288.4			
15/16	2.347	28.16	7 1/4	24.03	288.4				31/32	2.506	30.07	7 1/2	24.03	288.4			
31/32	2.506	30.07	7 3/4	24.03	288.4							8	24.03	288.4			

## ROUNDS Type 309

Hot Rolled and Annealed  
Stock Lengths, 22' to 24'

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar	
1/2	.668	16.03	3/4	1.502	36.05	1	2.670	64.08			
5/8	1.043	25.03	7/8	2.044	49.06						

## STAINLESS STEEL BARS ROUNDS Type 310

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/4	.167	2.00	1	2.670	32.04	2 3/8	15.06	180.7	1 1/4	4.173	50.08	2 1/2	16.69	200.3			
3/8	.376	4.51	1 1/4	4.173	50.08	2 1/2	16.69	200.3	1 1/2	6.008	72.10	3 3/4	28.21	338.5			
1/2	.668	8.02	1 1/2	6.008	72.10	3 3/4	28.21	338.5	3/4	1.043	12.52	3 1/2	37.55	450.6			
5/8	1.043	12.52	3/4	1.043	12.52	3 1/2	37.55	450.6	1	1.502	18.02	4	42.73	512.8			
3/4	1.502	18.02	1	1.502	18.02	4	42.73	512.8	2	10.68	128.2						
			2	10.68	128.2				2 1/4	13.52	162.2						

## ROUNDS Type 316

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/8	.042	.50	1 1/16	5.518	66.22	3	24.03	288.4	1/4	.167	2.00	3 3/8	26.08	313.0			
1/4	.167	2.00	1 1/2	6.008	72.10	3 3/4	28.21	338.5	5/16	.261	3.13	3 1/2	32.71	392.5			
5/16	.261	3.13	1 3/4	7.051	84.61	4	42.73	512.8	3/8	.376	4.51	4 1/4	48.23	578.8			
3/8	.376	4.51	1 5/8	7.604	91.25	4 1/2	54.08	649.0	7/16	.511	6.13	4 3/4	60.25	723.0			
7/16	.511	6.13	1 7/8	8.178	98.14	5	66.76	801.1	1/2	.668	8.02	5 1/2	80.78	969.4			
1/2	.668	8.02	2	9.388	112.7	6	96.13	1154	9/16	.845	10.14	6	96.13	1154			
9/16	.845	10.14	2 1/4	10.68	128.2	6 1/2	112.8	1354	5/8	1.043	12.52	7	130.9	1571			
5/8	1.043	12.52	2 3/8	12.06	144.7	7	130.9	1571	3/4	1.502	18.02	8	170.9	2051			
21/32	1.150	13.80	2 5/8	12.78	153.4	8	170.9	2051	7/8	2.044	24.53						
1/16	1.262	15.14	2 7/8	13.52	162.2				1	2.670	32.04						
13/16	1.763	21.16	3	15.06	180.7				1 1/8	3.379	40.55						
17/32	1.901	22.81	3 1/8	15.87	190.4				1 1/4	4.173	50.08						
7/8	2.044	24.53	3 1/4	16.69	200.3				1 1/2	5.049	60.59						
29/32	2.193	26.32	3 3/8	18.40	220.8				1 3/4	5.518	66.22						
15/16	2.347	28.16	3 3/4	20.20	242.4				1 5/8	6.008	72.10						
31/32	2.506	30.07	3 7/8	22.07	264.8				1 7/8	6.520	78.24						
			4	24.03	288.4				2	7.051	84.61						
			4 1/4	48.23	578.8				2 1/4	7.604	91.25						
			4 1/2	54.08	649.0				2 3/8	8.178	98.14						
			4 3/4	60.25	723.0				2 5/8	8.178	98.14						
			5	66.76	801.1				2 7/8	8.178	98.14						
			5 1/2	80.78	969.4				3	8.178	98.14						
			6	96.13	1154				3 1/8	9.388	112.7						
									3 1/4	9.388	112.7						
									3 3/8	10.68	128.2						
									3 1/2	10.68	128.2						
									3 3/4	12.06	144.7						
									3 7/8	12.06	144.7						
									4	12.78	153.4						
									4 1/4	12.78	153.4						
									4 1/2	13.52	162.2						
									4 3/4	13.52	162.2						
									5	15.06	180.7						
									5 1/2	15.06	180.7						
									6	16.69	200.3						
									6 1/2	16.69	200.3						
									7	18.40	220.8						
									7 1/2	18.40	220.8						
									8	20.20	242.4						
									8 1/2	20.20	242.4						

## ROUNDS Type 321

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/8	.042	.50	1 3/8	5.049	60.59	3 3/8	30.42	365.0	1/4	.167	2.00	3 1/2	32.71	392.5			
1/4	.167	2.00	1 1/2	6.008	72.10	3 1/2	32.71	392.5	5/16	.261	3.13	3 3/4	35.09	421.1			
5/16	.261	3.13	1 3/4	7.051	84.61	3 3/4	37.55	450.6	3/8	.376	4.51	4	42.73	512.8			
3/8	.376	4.51	1 5/8	8.178	98.14	4	42.73	512.8	7/16	.511	6.13	4 1/4	48.23	578.8			
7/16	.511	6.13	1 7/8	9.388	112.7	4 1/4	48.23	578.8	1/2	.6							

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS ROUNDS Type 347

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/8	.042	.50	1 1/4	4.173	50.08	3	24.03	288.4	1 1/2	6.008	72.10	3 1/2	32.71	392.5	4	42.73	512.8
3/16	.094	1.13	1 1/2	5.049	60.59	3 1/8	26.08	313.0	1 3/8	6.008	72.10	4	48.23	578.8	5	66.76	801.1
1/4	.167	2.00	1 3/8	6.520	78.24	3 3/8	30.42	365.0	4 1/2	54.08	649.0	5 1/2	80.78	969.4	6	96.13	1154
5/16	.261	3.13	1 1/2	8.773	105.3	3 1/2	37.55	450.6	5 3/4	88.29	1059	6 1/2	112.8	1354	7	130.9	1571
11/32	.316	3.79	1 3/8	9.388	112.7	4	42.73	512.8	6 3/4	112.8	1354	8	170.9	2051			
3/8	.376	4.51	1 1/2	12.78	153.4	4 1/4	48.23	578.8									
13/32	.441	5.29	1 3/8	15.87	190.4	4 3/4	60.25	723.0									
7/16	.511	6.13	1 1/2	18.40	220.8	5	66.76	801.1									
15/32	.587	7.04	1 3/8	20.20	242.4	5 1/4	73.60	883.2									
1/2	.668	8.02	1 1/2	22.02	264.2	5 1/2	80.78	969.4									
17/32	.754	9.05	1 3/8	24.24	288.4	5 3/4	88.29	1059									
9/16	.845	10.14	1 1/2	26.42	313.0	6	96.13	1154									
5/8	1.043	12.52	1 3/8	28.21	338.5	6 1/2	112.8	1354									
11/16	1.262	15.14	1 1/2	30.42	365.0	7	130.9	1571									
3/4	1.502	18.02	1 3/8	32.71	392.5	8	170.9	2051									
13/16	1.763	21.16	1 1/2	35.00	420.0												
7/8	2.044	24.53	1 3/8	37.55	450.6												
1	2.670	32.04	1 1/2	40.00	480.0												
1 1/16	3.014	36.17	1 3/8	42.00	504.0												
1 1/8	3.379	40.55	1 1/2	44.00	528.0												

Hot Rolled,  
Annealed and Pickled

## ROUNDS Type 410

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/4	.167	2.00	3/8	2.044	24.53	1 1/4	8.178	98.14	1 1/2	6.008	72.10	2	10.68	128.2	2 1/4	13.52	162.2
5/16	.261	3.13	1/2	2.347	28.16	1 1/2	9.388	112.7	2 1/2	12.06	144.7	3	15.06	180.7	3 1/2	18.02	216.2
3/8	.376	4.51	5/8	2.670	32.04	1 3/4	10.68	128.2	3 1/2	15.06	180.7	4	16.69	200.3	4 1/2	18.40	220.8
7/16	.511	6.13	1 1/8	3.379	40.55	2	10.68	128.2	4 1/2	18.40	220.8	5	19.90	238.8	5 1/2	21.62	259.4
1/2	.668	8.02	1 1/4	4.173	50.08	2 1/4	13.52	162.2	5 1/4	21.62	259.4	6	24.03	288.4	6 1/2	26.08	313.0
9/16	.845	10.14	1 1/2	5.049	60.59	2 1/2	15.06	180.7	6 3/4	26.08	313.0	7	28.21	338.5	7 1/2	30.42	365.0
5/8	1.043	12.52	1 3/8	6.008	72.10	3	24.03	288.4	7 1/2	30.42	365.0	8	32.71	392.5	8 1/2	35.00	420.0
11/16	1.262	15.14	1 1/2	7.051	84.61	3 1/2	32.71	392.5	8 1/2	35.00	420.0						
3/4	1.502	18.02	1 3/4	7.604	91.25												
13/16	1.763	21.16	1 1/2	7.604	91.25												

Hot Rolled, Annealed  
Max. Brinell 202

Hot Rolled and Heat Treated  
Stock Lengths, 22' to 24'

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar		Per Foot	24 Ft. Bar	
<b>Brinell 235-277 Hardenable to Brinell 401</b>			2	10.68	256.3	4	42.73	1026	3	24.03	576.7	5 1/4	73.60	1766			
1 1/8	3.379	81.10	2 1/4	13.52	324.5	4 1/4	48.23	1158	3 1/4	28.21	677.0	5 1/2	80.78	1939			
1 1/8 *	3.474	83.38	2 1/2	16.69	400.6	4 1/2	54.08	1298	3 1/2	32.71	785.0	6 1/4	104.3	2503			
1 1/8	5.049	121.2	2 3/4	20.20	484.8	4 3/4	60.25	1446	3 3/4	37.55	901.2						
1 1/2	6.008	144.2															
1 3/8	7.051	169.2															
1 1/4	8.178	196.3															
1 1/8	9.388	225.3															

\*Ground Finish

## STAINLESS STEEL BARS ROUNDS Type 416

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
3/32	.023	.28	1 3/16	1.763	21.16	2	10.68	128.2	2 1/16	11.36	136.3	3	24.03	288.4	4	42.73	512.8
1/8	.042	.50	2 1/32	1.901	22.81	2 1/8	12.06	144.7	3 1/8	13.52	162.2	4 1/2	18.40	220.8	5 1/2	21.62	259.4
5/32	.065	.78	3/8	2.044	24.53	2 1/4	13.52	162.2	3 1/4	15.06	180.7	5 3/4	21.62	259.4	6 3/4	26.08	313.0
3/16	.094	1.13	2 1/8	2.193	26.32	2 3/8	14.28	171.4	3 3/8	16.69	200.3	6 1/2	112.8	1354	7 1/2	130.9	1571
7/32	.128	1.54	2 3/8	2.347	28.16	2 1/2	15.06	180.7	3 1/2	18.02	216.2	7 1/2	130.9	1571	8 1/2	170.9	2051
1/4	.167	2.00	2 1/2	2.506	30.07	2 3/4	16.69	200.3	3 1/2	18.02	216.2	8 1/2	170.9	2051			
9/32	.211	2.53	2 3/4	2.670	32.04	3	18.02	216.2	3 1/2	18.02	216.2						
5/16	.261	3.13	3	2.834	34.01	3 1/8	19.90	238.8	3 3/4	20.20	242.4						
3/8	.376	4.51	3 1/8	3.014	36.17	3 1/4	21.62	259.4	4	21.62	259.4						
13/32	.441	5.29	3 3/8	3.379	40.55	3 1/2	23.15	278.1	4 1/2	23.15	278.1						
7/16	.511	6.13	3 1/2	3.766	45.19	3 3/4	24.03	288.4	4 1/2	24.03	288.4						
15/32	.587	7.04	3 3/4	4.173	50.08	4	24.03	288.4	4 3/4	24.03	288.4						
1/2	.668	8.02	4	4.600	55.20	4 1/8	26.08	313.0	4 3/4	24.03	288.4						
17/32	.754	9.05	4 1/8	5.049	60.59	4 1/4	28.21	338.5	5	26.08	313.0						
9/16	.845	10.14	4 1/4	5.518	66.22	4 1/2	28.21	338.5	5 1/2	28.21	338.5						
5/8	1.043	12.52	4 1/2	6.008	72.10	4 3/4	30.42	365.0	6	30.42	365.0						
11/16	1.262	15.14	4 3/4	6.520	78.24	5	32.71	392.5	6 1/2	32.71	392.5						
3/4	1.502	18.02	5	7.051	84.61	5 1/8	35.00	420.0	7	35.00	420.0						
13/16	1.763	21.16	5 1/8	7.604	91.25	5 1/4	37.55	450.6	7 1/2	37.55	450.6						
7/8	2.044	24.53	5 1/4	8.178	98.14	5 1/2	40.00	480.0	8	40.00	480.0						
1	2.670	32.04	5 3/8	8.681	103.8	5 3/4	42.00	504.0	8 1/2	42.00	504.0						
1 1/16	3.014	36.17	5 3/4	8.681	103.8	6	44.00	528.0	9	44.00	528.0						
1 1/8	3.379	40.55	5 3/4	8.681	103.8	6 1/4	46.00	552.0	9 1/2	46.00	552.0						

\*Also heat treated, ground and polished.

## STAINLESS STEEL PRECISION PUMP SHAFTING

Tolerances: 1/2 Standard Straightness: .005' in 10'  
Finish: 40 micro finish Max. Tensile: 105,000/120,000 P.S.I.  
Brinell: 217-255  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/2	.668	8.02	1 11/16	7.604	91.25	3	24.03	288.4	4 1/2	24.03	288.4	5 1/2	21.62	259.4	6 1/2	18.02	216.2
3/8	1.043	12.52	1 13/16	8.773	105.3	3 1/8	26.08	313.0	4 3/4	26.08	313.0	6 3/4	26.08	313.0	7 1/2	26.08	313.0
11/16	1.262	15.14	1 15/16	10.02	120.2	3 1/4	28.21	338.5	5	28.21	338.5	7 1/2	28.21	338.5	8 1/2	28.21	338.5
3/4	1.502	18.02	2	10.68	128.2	3 3/8	30.42	365.0	5 1/2	30.42	365.0	7 3/4	30.42	365.0	8 3/4	30.42	365.0
13/16	1.763	21.16	2 1/8	12.78	153.4	3 1/2	32.71	392.5	5 3/4	32.71	392.5	7 3/4	32.71	392.5	8 3/4	32.71	392.5
7/8	2.044	24.53	2 1/4	13.52	162.2	3 3/4	35.00	420.0	5 3/4	35.00	420.0	7 3/4	35.00	420.0	8 3/4	35.00	420.0
1	2.670	32.04	2 3/8	14.28	171.4	4	42.73	512.8	5 3/4	42.73	512.8	7 3/4	42.73	512.8	8 3/4	42.73	512.8

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS ROUNDS Type 431

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
3/16	.094	1.13	1	2.670	32.04	2 1/2	15.06	180.7									
1/4	.167	2.00	1 1/8	3.379	40.55	2 1/2	16.69	200.3									
5/16	.261	3.13	1 1/4	4.173	50.08	2 3/8	18.40	220.8									
3/8	.376	4.51	1 1/2	5.049	60.59	2 3/4	20.20	242.4									
7/16	.511	6.13	1 3/8	6.008	72.10	3	24.03	288.4									
1/2	.668	8.02	1 3/8	7.051	84.61	3 1/4	28.21	338.5									
9/16	.845	10.14	1 3/4	8.178	98.14	3 1/2	32.71	392.5									
5/8	1.043	12.52	<b>Hot Rolled, Annealed and Pickled</b>						3 3/4	37.55	450.6						
11/16	1.262	15.14	1 3/8	7.051	84.61	4	42.73	512.8									
3/4	1.502	18.02	1 3/4	8.178	98.14	4 1/2	54.08	649.0									
13/16	1.763	21.16	1 7/8	9.388	112.7	5	66.76	801.1									
7/8	2.044	24.53	2	10.68	128.2	5 1/2	80.78	969.4									
15/16	2.347	28.16	2 1/8	12.06	144.7	6	96.13	1154									
			2 1/4	13.52	162.2												

## ROUNDS Type 440-A Type 440-C

Under 1/2", Cold Drawn Finish  
1/2" and over, Ground Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/8	.042	.50	1	2.670	32.04	1 3/8	7.051	84.61									
5/32	.065	.78	1 1/16	3.014	36.17	1 3/4	8.178	98.14									
3/16	.094	1.13	1 1/8	3.379	40.55	1 7/8	9.388	112.7									
7/32	.128	1.54	1 1/4	4.173	50.08	2	10.68	128.2									
1/4	.167	2.00	1 1/2	4.600	55.20	2 1/8	12.06	144.7									
9/32	.211	2.53	1 3/8	5.049	60.59	2 1/4	13.52	162.2									
5/16	.261	3.13	1 3/8	5.518	66.22	2 3/8	15.06	180.7									
11/32	.316	3.79	1 1/2	6.008	72.10	2 1/2	16.69	200.3									
3/8	.376	4.51	1 3/4	6.520	78.24	2 3/8	18.40	220.8									
13/32	.441	5.29	1 3/4	7.051	84.61	2 3/4	20.20	242.4									
7/16	.511	6.13	1 7/8	8.178	98.14	3	24.03	288.4									
15/32	.587	7.04	1 7/8	9.388	112.7	3 1/4	28.21	338.5									
1/2	.668	8.02	2	10.68	128.2	3 1/2	32.71	392.5									
9/16	.845	10.14	2 1/2	16.69	200.3	3 3/4	37.55	450.6									
5/8	1.043	12.52	<b>Hot Rolled, Annealed and Pickled</b>						4	42.73	512.8						
11/16	1.262	15.14	1 3/8	3.379	40.55	4 1/2	54.08	649.0									
3/4	1.502	18.02	1 3/8	5.049	60.59												
13/16	1.763	21.16															
7/8	2.044	24.53															
15/16	2.347	28.16															

## ROUNDS Type 501

Hot Rolled, Heat Treated, 1100° Minimum Draw  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/2	.668	8.02	1	2.670	32.04	1 1/2	6.008	72.10									
5/8	1.043	12.52	1 1/8	3.379	40.55	1 3/4	8.178	98.14									
3/4	1.502	18.02	1 1/4	4.173	50.08	1 7/8	9.388	112.7									
7/8	2.044	24.53	1 3/8	5.049	60.59	2	10.68	128.2									

## STAINLESS STEEL BARS ROUNDS Type 17-4 PH

Condition A  
Annealed and Ground  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
1/8	.042	.50	1	2.670	32.04	2 3/8	15.06	180.7									
3/16	.094	1.13	1 1/16	3.014	36.17	2 1/2	16.69	200.3									
1/4	.167	2.00	1 1/8	3.379	40.55	2 3/4	18.40	220.8									
5/32	.211	2.53	1 1/4	3.766	45.19	2 3/4	20.20	242.4									
3/8	.261	3.13	1 1/2	4.173	50.08	2 7/8	22.07	264.8									
7/16	.316	3.79	1 3/8	5.049	60.59	3	24.03	288.4									
9/16	.376	4.51	1 3/8	6.008	72.10	3 1/4	28.21	338.5									
11/32	.441	5.29	1 3/4	7.051	84.61	3 1/2	32.71	392.5									
7/16	.511	6.13	1 3/4	8.178	98.14	3 3/4	37.55	450.6									
13/32	.587	7.04	1 7/8	9.388	112.7	4	42.73	512.8									
1/2	.668	8.02	1 7/8	10.02	120.2	4 1/4	48.23	578.8									
9/16	.845	10.14	2	10.68	128.2	4 3/4	60.25	723.0									
5/8	1.043	12.52	2 1/8	12.06	144.7	5	66.76	801.1									
11/16	1.262	15.14	2 1/4	13.52	162.2	5 1/2	80.78	969.4									
3/4	1.502	18.02				6	96.13	1154									
13/16	1.763	21.16															
7/8	2.044	24.53															
15/16	2.347	28.16															

## HEXAGONS Type 303

Cold Drawn Finish  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
3/16	.104	1.25	1	2.945	35.34	2	11.78	141.4									
1/4	.184	2.21	1 1/16	3.324	39.89	2 1/4	14.91	178.9									
5/16	.288	3.46	1 1/8	3.727	44.72	2 3/8	16.61	199.3									
3/8	.414	4.97	1 1/4	4.152	49.82	2 1/2	18.40	220.8									
7/16	.564	6.77	1 1/2	4.601	55.21	2 3/4	20.29	243.5									
1/2	.736	8.83	1 3/8	5.072	60.86	2 3/4	22.27	267.2									
9/16	.932	11.18	1 3/8	5.567	66.80	2 13/16	23.29	279.5									
5/8	1.150	13.80	1 3/4	6.085	73.02	2 7/8	24.34	292.1									
11/16	1.392	16.70	1 3/4	6.625	79.50	3	26.50	318.0									
3/4	1.656	19.87	1 7/8	7.775	93.30												
13/16	1.944	23.33	1 7/8	9.018	108.2												
7/8	2.254	27.05	1 7/8	10.35	124.2												
15/16	2.588	31.06	1 15/16	11.05	132.6												

## HEXAGONS Type 316

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
3/8	.414	4.97	1	2.945	35.34	1 3/8	7.775	93.30									
7/16	.564	6.77	1 1/8	3.565	42.78	1 3/4	9.018	108.2									
1/2	.736	8.83	1 1/4	4.601	55.21	1 7/8	10.35	124.2									
5/8	1.150	13.80	1 1/2	4.852	58.22	2	11.78	141.4									
3/4	1.656	19.87	1 3/8	5.567	66.80												
7/8	2.156	25.87	1 3/8	6.337	76.04												

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS HEXAGONS Type 321

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.184	2.21	1/4	1.656	19.87	3/4	5.567	66.80	1 1/2	6.625	79.50	1 1/2	7.775	93.30	1 3/4	9.018	108.2	
.288	3.46	5/16	2.254	27.05	7/8	10.35	124.2	1 3/4	10.35	124.2	2	11.78	141.4				
.414	4.97	3/8	2.254	27.05	7/8												
.564	6.77	7/16	2.254	27.05	7/8												
.736	8.83	1/2	2.254	27.05	7/8												
.932	11.18	9/16	2.254	27.05	7/8												
1.150	13.80	5/8	2.254	27.05	7/8												
1.392	16.70	11/16	2.254	27.05	7/8												

## HEXAGONS Type 347

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.414	4.97	3/8	2.945	35.34	1	11.78	141.4	2	13.30	159.6	2 1/2	14.09	169.1	2 3/4	14.91	178.9	
.564	6.77	7/16	4.152	49.82	1 3/16	16.61	199.3	2 3/8	18.40	220.8	2 1/2	20.29	243.5	2 3/4	22.27	267.2	
.736	8.83	1/2	4.601	55.21	1 1/4	18.40	220.8	2 1/2	20.29	243.5	2 3/8	22.27	267.2	2 1/2	23.29	279.5	
.932	11.18	9/16	5.567	66.80	1 1/2	20.29	243.5	2 3/8	22.27	267.2	2 1/2	23.29	279.5				
1.150	13.80	5/8	6.625	79.50	1 5/8	22.27	267.2	2 3/8	23.29	279.5							
1.392	16.70	11/16	7.775	93.30	1 3/4	23.29	279.5										
1.656	19.87	3/4	8.385	100.6	1 11/16												
1.944	23.33	13/16	9.018	108.2	1 3/4												
2.254	27.05	7/8	10.35	124.2	1 7/8												
2.588	31.06	15/16	11.05	132.6	1 15/16												

## HEXAGONS Type 416

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.184	2.21	1/4	1.656	19.87	3/4	4.601	55.21	1 1/4	5.567	66.80	1 1/2	6.625	79.50	1 3/4	7.775	93.30	
.288	3.46	5/16	2.254	27.05	7/8	6.625	79.50	1 1/2	7.775	93.30	1 3/4	9.018	108.2	1 3/4	10.35	124.2	
.414	4.97	3/8	2.254	27.05	7/8												
.564	6.77	7/16	2.254	27.05	7/8												
.736	8.83	1/2	2.254	27.05	7/8												
.932	11.18	9/16	2.254	27.05	7/8												
1.150	13.80	5/8	2.254	27.05	7/8												
1.392	16.70	11/16	2.254	27.05	7/8												

## HEXAGONS Type 431

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.414	4.97	3/8	1.656	19.87	3/4	2.945	35.34	1	3.324	39.89	1 1/16	3.727	44.72	1 1/8	4.601	55.21	
.564	6.77	7/16	1.944	23.33	13/16	5.567	66.80	1 1/2	6.625	79.50	1 3/4	7.775	93.30	1 3/4	9.018	108.2	
.736	8.83	1/2	2.254	27.05	7/8	6.625	79.50	1 1/2	7.775	93.30	1 3/4	9.018	108.2	1 3/4	10.35	124.2	
.932	11.18	9/16	2.254	27.05	7/8												
1.150	13.80	5/8	2.254	27.05	7/8												
1.392	16.70	11/16	2.254	27.05	7/8												

## STAINLESS STEEL BARS HEXAGONS Type 17-4 PH

Condition A  
Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.736	8.83	1/2	2.945	35.34	1	4.601	55.21	1 1/4	5.567	66.80	1 1/2	6.625	79.50	1 3/4	7.775	93.30	
1.150	13.80	5/8	3.727	44.72	1 1/8												
1.656	19.87	3/4															
2.254	27.05	7/8															

## SQUARES Type 303

Some sizes carried in Type 303S and Type 303e  
Condition A—Annealed  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
<b>Cold Drawn</b>						<b>Hot Rolled, Annealed and Pickled</b>											
.053	.64	1/8	3.400	40.80	1	4.303	51.64	1 1/8	5.313	63.76	2 1/4	17.21	206.5	2 1/2	21.25	255.0	
.120	1.44	3/16	6.428	77.14	1 3/8	7.650	91.80	1 1/2	8.978	107.7	1 3/4	30.60	367.2	3	41.65	499.8	
.213	2.56	1/4	7.650	91.80	1 1/2	10.41	124.9	1 3/4	11.95	143.4	2	54.40	652.8	4			
.332	3.98	5/16	11.95	143.4	2	13.60	163.2	2									
.478	5.74	3/8															
.651	7.81	7/16															
.850	10.20	1/2															
1.328	15.94	5/8															
1.913	22.96	3/4															
2.603	31.24	7/8															

Condition B—High Tensile  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
<b>Cold Drawn</b>																	
.213	2.56	1/4	1.328	15.94	5/8	3.400	40.80	1	4.303	51.64	1 1/8	5.313	63.76	1 1/4	5.313	63.76	
.478	5.74	3/8	1.913	22.96	3/4	7.650	91.80	1 1/2	8.978	107.7	1 3/4	10.41	124.9	1 3/4	11.95	143.4	
.850	10.20	1/2	2.603	31.24	7/8												

## SQUARES Type 316

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.			Size in Inches			Est. Weight, Lbs.		
Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
.213	2.56	1/4	.850	10.20	1/2	3.400	40.80	1	4.303	51.64	1 1/8	5.313	63.76	1 1/4	7.650	91.80	
.332	3.98	5/16	1.328	15.94	5/8	7.650	91.80	1 1/2	8.978	107.7	1 3/4	10.41	124.9	1 3/4	11.95	143.4	
.478	5.74	3/8	1.913	22.96	3/4												
.651	7.81	7/16															

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS SQUARES Type 416

Annealed and Cold Drawn  
Stock Length, 12' Random

Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.		
	Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar	
3/16	.120	1.44	3/4	1.913	22.96	<b>Hot Rolled, Annealed and Pickled</b>	1 1/8	8.978	107.7
1/4	.213	2.56	7/8	2.603	31.24		2	13.60	163.2
5/16	.332	3.98	1 1/8	2.988	35.86		2 1/2	21.25	255.0
3/8	.478	5.74	1	3.400	40.80		3	30.60	367.2
7/16	.651	7.81	1 1/4	5.313	63.76				
1/2	.850	10.20	1 3/8	6.428	77.14				
5/8	1.328	15.94	1 1/2	7.650	91.80				

## SQUARES Type 17-4 PH

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.	
	Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar
1/2	.850	10.20	1	3.400	40.80	2	13.60	163.2
3/4	1.913	22.96	1 1/4	5.313	63.76			
			1 1/2	7.650	91.80			

## FLATS Type 302 Type 304

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.	
		Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar
1/8 x 1/2	.213	2.56	3/8 x 1/2	.638	7.66	3/4 x 1	2.550	30.60			
1/4	.319	3.83	3/4	.956	11.47	1 1/4	3.188	38.26			
1	.425	5.10	1	1.275	15.30	1 1/2	3.825	45.90			
1 1/4	.531	6.37	1 1/4	1.594	19.13	1 3/4	4.463	53.56			
1 1/2	.638	7.66	1 1/2	1.913	22.96	2	5.100	61.20			
2	.850	10.20	2	2.550	30.60	2 1/2	6.375	76.50			
2 1/2	1.063	12.76	2 1/2	3.188	38.26	3	7.650	91.80			
3	1.275	15.30	3	3.825	45.90	3 1/2	8.925	107.1			
3 1/2	1.488	17.86	3 1/2	4.463	53.56	4	10.20	122.4			
			4	5.100	61.20	6	15.30	183.6			
3/16 x 3/4	.478	5.74	4 1/2	5.738	68.86	1 x 1 1/4	4.250	51.00			
1	.638	7.66	5	6.375	76.50	1 1/2	5.100	61.20			
1 1/4	.797	9.56	1/2 x 1	1.700	20.40	2	6.800	81.60			
1 1/2	.956	11.47	1/4	2.125	25.50	3	10.20	122.4			
2	1.275	15.30	1 1/2	2.550	30.60	3 1/2	11.90	142.8			
2 1/2	1.594	19.13	1 3/4	2.975	35.70	4	13.60	163.2			
3	1.913	22.96	2	3.400	40.80	6	20.40	244.8			
4	2.550	30.60	2 1/2	4.250	51.00						
			3	5.100	61.20	1 1/4 x 2	8.500	102.0			
1/4 x 1/2	.425	5.10	3 1/2	5.950	71.40	2 1/2	10.63	127.6			
3/8	.638	7.66	4	6.800	81.60	3	12.75	153.0			
1	.850	10.20	4 1/2	7.650	91.80	4	17.00	204.0			
1 1/4	1.063	12.76	5	8.500	102.0						
1 1/2	1.275	15.30	6	10.20	122.4	1 1/2 x 1 1/4	8.925	107.1			
2	1.700	20.40				3	15.30	183.6			
2 1/2	2.125	25.50	3/8 x 3/4	1.594	19.13	4	20.40	244.8			
3	2.550	30.60	1	1.700	20.40						
3 1/2	2.975	35.70	1 1/2	3.188	38.26	2 x 3	20.40	244.8			
4	3.400	40.80	2	4.250	51.00	4	27.20	326.4			
4 1/2	3.825	45.90	2 1/2	5.313	63.76						
			3	6.375	76.50	3 x 4	40.80	489.6			

## STAINLESS STEEL BARS FLATS Type 316

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.	
		Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar
1/8 x 1	.425	5.10	3/8 x 1	1.275	15.30	3/4 x 1	2.550	30.60			
1 1/2	.638	7.66	1 1/2	1.913	22.96	1 1/2	3.825	45.90			
2	.850	10.20	2	2.550	30.60	2	5.100	61.20			
3	1.275	15.30	3	3.825	45.90	3	7.650	91.80			
3/16 x 1	.638	7.66	1/2 x 1	1.700	20.40	1 x 1 1/2	5.100	61.20			
1 1/2	.956	11.47	1 1/2	2.550	30.60	3	10.20	122.4			
2	1.275	15.30	2	3.400	40.80						
			2 1/2	4.250	51.00						
1/4 x 1	.850	10.20	3	5.100	61.20						
1 1/2	1.275	15.30	4	6.800	81.60						
2	1.700	20.40									
3	2.550	30.60									
4	3.400	40.80									

## FLATS Type 321

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.	
		Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar
1/4 x 1/2	.425	5.10	1/2 x 3/4	1.275	15.30	1 x 1 1/4	4.250	51.00			
3/4	.638	7.66	1	1.700	20.40	1 1/2	5.100	61.20			
1	.850	10.20	1 1/4	2.125	25.50	1 3/4	5.950	71.40			
1 1/4	1.063	12.76	1 1/2	2.550	30.60	2 1/2	8.500	102.0			
1 1/2	1.275	15.30	1 3/4	2.975	35.70	3	10.20	122.4			
1 3/4	1.488	17.86	2	3.400	40.80	4	13.60	163.2			
2	1.700	20.40	2 1/2	4.250	51.00	6	20.40	244.8			
2 1/2	2.125	25.50	3	5.100	61.20						
3	2.550	30.60	4	6.800	81.60	1 1/4 x 2	8.500	102.0			
4	3.400	40.80	6	10.20	122.4	2 1/2	10.63	127.6			
6	5.100	61.20				3	12.75	153.0			
						4	17.00	204.0			
3/8 x 1/2	.638	7.66	3/8 x 1	2.125	25.50	1 1/2 x 2	10.20	122.4			
3/4	.956	11.47	2	4.250	51.00	3	15.30	183.6			
1	1.275	15.30	3/4 x 1	2.550	30.60						
1 1/2	1.913	22.96	1 1/4	3.188	38.26	1 1/2 x 2	10.20	122.4			
2	2.550	30.60	1 1/2	3.825	45.90	3	15.30	183.6			
2 1/2	3.188	38.26	1 3/4	4.463	53.56	2 x 3	20.40	244.8			
3	3.825	45.90	2	5.100	61.20	4	27.20	326.4			
4	5.100	61.20	2 1/2	6.375	76.50	3 x 4	40.80	489.6			
			3	7.650	91.80						
			4	10.20	122.4						
			6	15.30	183.6						

## FLATS Type 347

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.		Size in Inches		Est. Weight, Lbs.	
		Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar			Per Foot	12 Ft. Bar
1/4 x 1	.850	10.20	1/2 x 1	1.700	20.40	3/4 x 1	2.550	30.60			
1 1/2	1.275	15.30	1 1/2	2.550	30.60	2	5.100	61.20			
2	1.700	20.40	2	3.400	40.80	1 x 1 1/2	5.100	61.20			
			3	5.100	61.20	2	6.800	81.60			

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL BARS FLATS Type 17-4 PH

Hot Rolled, Annealed and Pickled  
Stock Length, 12' Random

Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.	
	Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar		Per Foot	12 Ft. Bar
1/4 x 1	.850	10.20	1/2 x 4	6.800	81.60	1 x 3	10.20	122.4
1 1/2	1.275	15.30				4	13.60	163.2
2	1.700	20.40						
3	2.550	30.60	3/4 x 1	2.550	30.60			
4	3.400	40.80	1 1/2	3.825	45.90	1 1/2 x 2	10.20	122.4
			2	5.100	61.20	3	15.30	183.6
			3	7.650	91.80	4	20.40	244.8
1/2 x 1	1.700	20.40	4	10.20	122.4			
1 1/2	2.550	30.60				2 x 2 1/2	17.00	204.0
2	3.400	40.80	1 x 1 1/2	5.100	61.20	3	20.40	244.8
3	5.100	61.20	2	6.800	81.60	4	27.20	326.4

## STAINLESS STEEL ANGLES Type 302 Type 304

Hot Rolled, Annealed and Pickled  
Stock Length, 20' Random

Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.	
	Per Foot	20 Ft. Length		Per Foot	20 Ft. Length
3/4 x 3/4 x 1/8	.59	11.8	1 1/4 x 1 1/4 x 1/4	2.77	55.4
1 x 1 x 1/8	.80	16.0			
	1.16	23.2	2 x 2 x 1/8	1.65	33.0
	1.49	29.8		2.44	48.8
				3.19	63.8
1 1/4 x 1 1/4 x 1/8	1.01	20.2			
	1.48	29.6	2 1/2 x 2 1/2 x 3/16	3.07	61.4
	1.92	38.4		4.10	82.0
				5.90	118.0
1 1/2 x 1 1/2 x 1/8	1.23	24.6			
	1.80	36.0	3 x 3 x 1/4	4.90	98.0
	2.34	46.8		7.20	144.0

## Type 316

Hot Rolled, Annealed and Pickled  
Stock Lengths, 19' to 21'

Size in Inches	Est. Weight, Lbs.		Size in Inches	Est. Weight, Lbs.	
	Per Foot	20 Ft. Length		Per Foot	20 Ft. Length
3/4 x 3/4 x 1/8	.59	11.8	1 1/2 x 1 1/2 x 1/4	2.34	46.8
1 x 1 x 1/8	.80	16.0			
	1.16	23.2	2 x 2 x 3/16	2.44	48.8
				3.19	63.8
1 1/4 x 1 1/4 x 1/8	1.01	20.2			
	1.48	29.6	2 1/2 x 2 1/2 x 3/16	3.07	61.4
				4.10	82.0
1 1/2 x 1 1/2 x 1/8	1.23	24.6			
	1.80	36.0	3 x 3 x 1/4	4.90	98.0

## STAINLESS STEEL TUBING WELDED Type 304 Type 316

Annealed White Pickled Finish  
Polished Surfaces Available  
Stock Lengths, 5' to 24' Random

O.D.	Wall Thickness			Estimated Wt. Lbs. Per Foot	O.D.	Wall Thickness			Estimated Wt. Lbs. Per Foot
	Ga.	Dec.	I.D.			Ga.	Dec.	I.D.	
3/8	21	.032	.311	.117	1 1/2	20	.035	1.430	.550
						18	.049	1.402	.759
1/2	20	.035	.430	.170	16	.065	1.370	1.00	
	16	.065	.370	.302	11	.120	1.260	1.77	
3/8	20	.035	.555	.220	1 3/4	16	.065	1.620	1.17
	18	.049	.527	.300					
	16	.065	.495	.388	2	20	.035	1.930	.73
3/4	20	.035	.680	.270	18	.049	1.902	1.02	
	18	.049	.652	.370	16	.065	1.870	1.34	
	16	.065	.620	.480	11	.120	1.760	2.41	
7/8	16	.065	.745	.560	2 1/2	16	.065	1.995	1.43
1	20	.035	.930	.360	2 1/2	18	.049	2.402	1.28
	18	.049	.902	.497	16	.065	2.370	1.69	
	16	.065	.870	.649	14	.083	2.334	2.14	
1 1/4	20	.035	1.180	.450	11	.120	2.260	3.05	
	18	.049	1.152	.630					
	16	.065	1.120	.823	3	16	.065	2.870	2.04
	14	.083	1.084	1.03	14	.083	2.834	2.59	
	11	.120	1.010	1.45	11	.120	2.760	3.69	
1 3/8	18	.049	1.277	.690	4	16	.065	3.870	2.73
					11	.120	3.760	4.97	

**THINK TWICE  
before you buy on price**

Today's competition in the steel fabricating business is tougher than ever before. All the more reason to take the long view and think in terms of years rather than orders when evaluating your steel supply source. Our customers have long proved that, year in and year out, our prices are **always competitive**. We have enjoyed your business and are ever watchful for ways and means to serve you even better.

# METAL SUPPLY INC.

800-400-6382 • sales@metalsupply.com



## STAINLESS STEEL TUBING SEAMLESS Type 304 Type 316

Annealed White Pickled Finish  
Polished Surfaces Available  
Stock Lengths, 18' to 22' Random

O.D.	Wall Thickness			Estimated Wt. Lbs. Per Foot	O.D.	Wall Thickness			Estimated Wt. Lbs. Per Foot	
	Ga.	Dec.	I.D.			Ga.	Dec.	I.D.		
1/4	20	.035	.180	.0804	1 1/8	14	.083	.959	.9237	
	16	.065	.120	.1284		11	.120	.885	1.288	
5/16	20	.035	.243	.1039	1 1/4	18	.049	1.152	.628	
	18	.049	.215	.1382		16	.065	1.120	.822	
	16	.065	.183	.1722		13	.095	1.060	1.172	
3/8	20	.035	.305	.1271	1 1/2	11	.120	1.010	1.448	
	18	.049	.277	.1706		3/16	.188	.875	2.132	
	16	.065	.245	.2152		20	.035	1.430	.547	
7/16	20	.035	.368	.1506	16		.065	1.370	.996	
	18	.049	.340	.2036	14		.083	1.334	1.256	
1/2	20	.035	.430	.1738	1 3/4	18	.049	1.652	.890	
		.049	.402	.2360		16	.065	1.620	1.170	
		.065	.370	.3020		11	.120	1.510	2.089	
		.120	.260	.4870		3/16	.188	1.375	3.136	
5/8	20	.035	.493	.1974	2	20	.035	1.930	.734	
		.049	.465	.2690		18	.049	1.902	1.021	
		.065	.433	.3457		16	.065	1.870	1.343	
		.035	.555	.2205		14	.083	1.834	1.699	
3/4	20	.049	.527	.3014	2 1/4	12	.109	1.782	2.201	
		.065	.495	.3888		11	.120	1.760	2.409	
		.083	.459	.4805		3/16	.188	1.625	3.638	
		.035	.680	.2673		2 1/2	16	.065	2.120	1.517
.042	.666	.3176	13	.095	2.060		2.186			
.049	.652	.3668	11	.120	2.010		2.730			
.065	.620	.4755	3/16	.188	1.875		4.140			
7/8	20	.095	.560	.6646	3	11	.120	2.010	2.730	
		.120	.510	.8074		3/4	.250	1.750	5.340	
		.049	.777	.4323		2 1/2	18	.049	2.402	1.283
		.065	.745	.5623			16	.065	2.370	1.690
.120	.635	.9676	11	.120	2.260		3.050			
.035	.930	.3607	3/16	.188	2.124		4.642			
1	20	.049	.902	.4977	3 1/4	1/4	.250	2.000	6.008	
		.065	.870	.6491		18	.049	2.402	1.283	
		.083	.834	.8129			16	.065	2.870	2.037
		.120	.760	1.128			14	.083	2.834	2.586
.250	.500	2.003	13	.095	2.810		2.947			
1 1/8	20	.120	.760	1.128	11	.120	2.760	3.691		
		.065	.995	.7359	3/4	.250	2.500	7.343		
1 1/4	16	.065	.995	.7359	3 1/2	11	.120	3.010	4.011	

## STAINLESS STEEL PIPE WELDED I.P.S. Type 304 I.P.S. Type 316

Annealed White Pickled Finish  
Polished Surfaces Available  
Stock Lengths, 17' to 24' Random

Size in Inches	Estimated Wt. Lbs. Per Foot			Size in Inches	Estimated Wt. Lbs. Per Foot				
	O.D.	I.D.	Wall Thick.		O.D.	I.D.	Wall Thick.		
1/8	.405	.269	.068	.244	1	1.315	1.049	.133	1.678
	.540	.364	.088	.424	1 1/4	1.660	1.380	.140	2.272
1/4	.675	.493	.091	.567	1 1/2	1.900	1.610	.145	2.717
	.840	.622	.109	.850	2	2.375	2.067	.154	3.652
1.050	.824	.113	1.130						

## SEAMLESS I.P.S. Type 304 I.P.S. Type 316

Annealed White Pickled Finish  
Polished Surfaces Available  
Stock Lengths, 4' to 24' Random

Size in Inches	Estimated Wt. Lbs. Per Foot			Size in Inches	Estimated Wt. Lbs. Per Foot				
	O.D.	I.D.	Wall Thick.		O.D.	I.D.	Wall Thick.		
<b>STANDARD PIPE SIZES</b>				<b>EXTRA HEAVY PIPE SIZES</b>					
1/8	.405	.269	.068	.244	1/8	.405	.215	.095	.3145
1/4	.540	.364	.088	.424	1/4	.540	.302	.119	.5351
3/8	.675	.493	.091	.567	3/8	.675	.423	.126	.7388
1/2	.840	.622	.109	.850	1/2	.840	.546	.147	1.088
3/4	1.050	.824	.113	1.130	3/4	1.050	.742	.154	1.474
1	1.315	1.049	.133	1.678	1	1.315	.957	.179	2.172
1 1/4	1.660	1.380	.140	2.272	1 1/4	1.660	1.278	.191	2.997
1 1/2	1.900	1.610	.145	2.717	1 1/2	1.900	1.500	.200	3.631
2	2.375	2.067	.154	3.652	2	2.375	1.939	.218	5.022
2 1/2	2.875	2.469	.203	5.793	2 1/2	2.875	2.323	.276	7.661
3	3.500	3.068	.216	7.575	3	3.500	2.900	.300	10.25
3 1/2	4.000	3.548	.226	9.109	3 1/2	4.000	3.364	.318	12.51
4	4.500	4.026	.237	10.79	4	4.500	3.826	.337	14.98
5	5.563	5.047	.258	14.62	5	5.563	4.813	.375	20.78
6	6.625	6.065	.280	18.97	6	6.625	5.761	.432	28.57
8	8.625	7.981	.322	28.55	8	8.625	7.625	.500	43.39

### EXPERIENCE COUNTS when the heat's on

It's the men who serve you who make the difference. At our Steel Service Center, the combined experience of the men who receive and handle your orders adds up to hundreds of years. To see that you get top quality, the right alloy, the proper weight, size, shape, the optimum amount of pre-processing...these and many other split second decisions are made every day by the mental computers of our thoroughly experienced steel men. Result: you avoid costly production problems and slowdowns. Our experience and know-how is the plus factor you get in every pound of steel you buy from us.